

PAXTON WATER STORAGE TANKS

- PAXTON's hard-wearing range of storage tanks are for above or below ground use and do not rot or rust.

 - Large screw-in lid.
 - Optional Byelaw 30 kit available.
 - UV stabilised and impact resistant at low temperatures.
- Built-in lifting lugs (for use when the tank is empty).
 - Choice of flat area to enable easy fitting of outlets/connections.
- Rain water harvesting kits available, for further details contact 01225 816 528.

STORAGE TANKS ABOVE & BELOW GROUND
CT2200JA/JB



CT1000JA/JB



CT0600JA/JB



CT0200JA/JB




Key Features Versatile storage tanks suitable for liquids. Manufactured in robust one-piece stress-free mouldings with smooth hygienic internal and external surfaces. Built-in lifting lugs for handling empty tanks. Suitable for potable water when fitted with byelaw 30 kit. JA tanks are for above ground use only and the heavier JB tanks are for above or below ground use. Tanks feature 'flat' areas to make it easier to attach fittings.

15,000 and 20,000 litre tanks available, please phone for more details. Installation instructions are supplied with the tanks and can also be viewed on line - www.paxtonagri.com copies are also available by post - please phone 01225 816 528.


	Dimensions mm Dia x H	Manhole Internal	Vented Insert Internal	Capacity Litres
CT2200 JA/JB	2515 x 2575 (2540 to top of dome)	546mm	127	10000
CT1000 JA/JB	1850 x 2305	546mm	127	4546
CT0600 JA/JB	1850 x 1555	546mm	127	2728
CT0200 JA/JB	1308 x 1060	546mm	127	909

OPTIONAL BYELAW 30 KIT

SCREENED OVERFLOW WARNING



SCREENED OVERFLOW



SOLID INSERT TO REPLACE NON-SCREENED VENT



SCREENED VENT





Michael Grigg
M A Grigg, Cornwall

"The Paxton water storage tanks are practical and excellent value for money. Strong and hardwearing, the Paxton tanks are ideal for a wide range of environments and are easy to install".



PAXTON SLIM LINE TANKS

- A new range of slim tanks designed for discreet water storage in space restricted areas. Multiple inlet and outlet options for flexible positioning of the tank.
- Large 50mm drainage outlet for rapid emptying; comes with integral ¼" BSP fitting for tap or hose.
 - Twin baffling through the centre and kiss-point structure on the base for strength and durability.

ST250-V



ST250-H



Key Features Tough plastic moulded slim line tanks for a variety of environments, farms, equestrian centres, garden centres, campsites, domestic use and commercial vehicles. Vertical tanks have built-in wall fixing holes to secure against a vertical surface if required.

Large 200mm lid at the top of the tank allows access for additional tank fittings or a submersible pump and can also be used as another filling point. The vented lid is recessed for easy storage and transportation.

	Dimensions mm L x W x H	Capacity litres	Weight Kg	Colour
ST250-V	1190 x 330 x 830	250	20	Natural, Green and Black
ST250-H	1190 x 830 x 330	250	20	Natural, Green and Black

CHOOSING A WATER TANK

The Paxton range of Water Storage Tanks is suitable for a wide variety of applications from domestic use, watering golf courses, storage for camping sites through to heavier uses such as manufacturing, agriculture and large scale horticulture. So whatever your project requirements are, choose the right product here.



CT2200
10,000 Litres

CT1000
4546 Litres

CT0600
2728 Litres

CT0200
909 Litres

ST250-H
ST250-V
250 Litres

VFI COMBI

Volume rainwater filter for installation either inside or external to the tank. The VFI Combi has the cleaned water outlet at the bottom of the filter. Max. Flow Rate Sieve insert 1.5 l/sec = 5,4 m³ cleaned water per hour. The cleaned water can be used in washing machines, toilet flushing and garden watering, in homes, in commerce, in public buildings and in industry.

TWIN FILTER

Rainwater filter for larger roof areas and usually installed below ground in a concrete gully. Two step cleaning system, therefore high level of filtering efficiency, independent of flow rate. Due to the steep inclination of the filter cartridge the dirt is continuously cleaned away into the sewer. The cleaned water is collected in a tank and directed into the storage. Max. Flow Rate Sieve insert 3,0/sec = 10,8 m³ cleaned water per hour.

CALMED INLET

Provides a calmed inlet for rainwater flowing into the storage tank. Prevents disturbance of settled sedimentation layer and supplies the lower part of the tank with oxygen. Therefore the water remains fresh.

OVERFLOW SIPHON INTAKE

With screw-threaded union connector DN 100, ideal for installation through plastic wall tanks.

PAXTON R.W.H. ACCESSORIES

Paxton is able to supply a wide range of accessories for your Rain Water Harvesting (R.W.H.) project.

PAXTON MATERIAL HANDLING

For many years Paxton Materials Handling has been a well recognised name within the Materials Handling markets. The range of Tubs, Trucks, Ingredient Dispensers, Pallets and Dollies has been a popular choice with customers who value quality products manufactured in the UK and available in low minimum order quantities.

INGREDIENTS DISPENSERS




Suitable for food processing ingredients and additives, salt and sugar storage and ideal for bench top use in the bakery environment.

A range of ingredients dispensers to ensure rotation of ingredients, to avoid spillage and to prevent cross contamination.

- Flow rate restriction plate, adjustable to suit different ingredients
- Translucent material gives replenishment level indication
- Recessed panel for identification labels
- Hinged transparent front lid
- Rotationally moulded for rigidity, strength and durability

	Dimensions mm W x D x H	Capacity litres	Weight kg
ID21	205 x 474 x 424	21	2.0
ID61	280 x 616 x 674	63	5.0
ID90	410 x 600 x 673	90	6.9

INGREDIENTS TUBS



HR Tub Pallet: Twin skin pallet specifically designed for the stacking and transportation of HR tubs

HRULD Tub lid

Modular, inter-stacking (onto rim or lid), round containers for wet or dry ingredients

- Smooth easy-clean surfaces
- Rotationally moulded for rigidity, strength and durability

PA68 Taper Tub

HRDOL Dolly

HRULD: Lid to fit HR stacking tub range
HRDOL: 4 wheel bespoke dolly for all tubs with optional stainless steel handles

	Dimensions mm Base Dia x Top Dia x H	Capacity litres	Weight kg
HR18	360 x 425 x 178	18	1.5
HR31	360 x 425 x 300	31	2.5
HR46	360 x 425 x 438	46	3.0
HR67	360 x 425 x 641	67	3.8
PA68	360 x 616 x 502	68	5.5
PA68FSG	360 x 616 x 502	68	6.0

PAXTON FEED TROUGHS

Hard wearing feed troughs suitable for most livestock. Troughs are available in floor and hanging versions.

FEED TROUGHS

NEW

LF280



LF200



LF100



Key Features Hard-wearing feed troughs with a simple design that offers safety and stability. Double skin moulding gives strength and durability plus kiss off features have been added for strength to the structure. Drainage holes can be drilled through one of the indentations on the underside of the product All three troughs have smooth interior and exterior surfaces, making them easy to clean. Can be stacked for storage. Plus different sizes will also inter-stack

BEEF CATTLE



SHEEP




HORSE




FEED TROUGHS

LF5




Key Features Simple design that offers safety and stability. One-piece stress free moulding gives added strength. Smooth interior and exterior surfaces. Easy to clean and easy to handle. Can be stacked when not in use.

BEEF CATTLE



DAIRY COWS



HANGING FEED TROUGHS

LF6



LF4



Key Features One-piece stress free moulding gives added strength to both LF6 and LF4. Smooth interior and exterior surfaces make it easy to clean and handle. LF4 comes complete with galvanised hanging brackets.

BEEF CATTLE



DAIRY COWS



SHEEP



HORSE



TYRE FEEDER

HR40A



Key Features Lightweight, easy-to-handle round feed trough designed to fit inside 15-inch tyre. Smooth, hygienic and easily cleaned.

Tyre not included.

HORSE






	Dimensions mm L x W x H	Capacity litres	Colour
LF100	1000 x 295 x 162	16	Black
LF200	2000 x 295 x 162	34	Black
LF280	2800 x 295 x 162	54	Black
LF5	2000 x 460 x 230	80	Black
LF6	500 x 413 x 305	28	Black
LF4	1515 x 380 x 305	73	Black
HR40A	Dia 425 x 178	18	Black

PAXTON DAIRY WASH TROUGHS

- A range of single and double-skinned dairy hygiene troughs and containers, ranging from 91 to 227 litres capacity. The double-skinned selfstanding troughs are supplied with lids for holding circulation wash water for milking parlours.
- Double-skinned containers have heat-retaining walls and lids to keep insects out.
 - Fitted with outlet plug and chain for easy cleaning.

WASH TROUGHS


DHT1A



Key Features Double-skinned dairy hygiene container for superior heat retention, supplied with loose fitting lid. Calibrated internal markings.

One-piece plastic construction and smooth surface ease cleaning and avoid bacterial trap. Suitable for holding circulation wash water.


DHT2A




Key Features Larger version of DHT1A. Double-skinned dairy hygiene container for superior heat retention. Supplied with loose fitting lid. Calibrated internal markings. One-piece plastic construction and smooth surface ease cleaning and avoid bacterial trap. Suitable for holding circulation wash water.

WASH TROUGHS


HN27A



HN33A




HN36A




Key Features The HN27A Dairy hygiene wash trough with 91 litres capacity. One-piece plastic construction and smooth surface ease cleaning and avoid bacterial trap.

OUTLET 2



CHURN

CH50



Key Features Strong but lightweight 45 litre churn with screw cap lid and steel rab handles.

Key Features Outlet with plug. Polypropylene body with stainless steel trim and PVC plug. 38mm Bore.

	Dimensions mm L x W x H	Capacity litres	Outlet 2
DHT1A	762 X 548 X 838	120	Yes
DHT2A	940 X 762 X 838	227	Yes
HN27A	775 X 546 X 373	91	Yes
HN33A	950 X 550 X 388	132	Yes
HN36A	970 X 685 X 482	209	Yes
CH50	735 X 335 dia	45	N/A



PAXTON GRIT AND STORAGE BINS

A high performance plastic moulded bin with hinged lid which combines modern styling, generous capacity and functionality in equal measure. The double skin perimeter lid and robust rib structure adds strength and wear resistance in the base.

GRIT SALT BIN



Key Features The Grit Salt Bin with moulded in 'Grit Salt' Sign is designed for a variety of road, pavement or car park uses. It is available in two different sizes with a optional hasp & staple lock and is fully stackable.

STORAGE BIN



Key Features The Storage Boxes are ideal for indoor or outdoor requirements, such as equestrian, caravan or garden storage. It is available in two different sizes with a optional hasp & staple lock and is fully stackable.



	Dimensions mm L x D x H	Capacity litres	Colour
Small	1200 x 541 x 624	200	Yellow, Black, Green, Red and Blue
Large	1200 x 756 x 807	400	Yellow, Black, Green, Red and Blue

ABOUT PAXTON

Paxton Agricultural is a manufacturer of Products and Equipment to the Agricultural Industry for over 35 years. Our wide range of equipment and products are suited to a variety of environments from large agricultural operations to farms, smallholdings and stables.



Paxtons high quality products are designed and manufactured from Medium Density Polyethylene (MDPE) at their UK based factory in the South West. All products are made to order, undergoing rigorous quality checks at every stage.

MDPE products are superior to other materials offering UV stability, freeze resistance, smooth hygienic surfaces and are easier to move and handle.

